## LAPEER COUNTY COMMUNITY MENTAL HEALTH

# **Date Issued** 08/11/2022 **Date Revised** 08/22/23

CHAPTER		CHAPTER		SECTION		SUBJECT
Health and Safety 08		80		003		50
SECTION			DESCRIPT	ION		
Safety		Rapid Response Team: Medical Emergency and				
		Code Gray				
WRITTEN BY	REVISED BY			AUTHORIZED BY		
Sarah Whitehead, BSN, RN	Lisa	a Rudo	dy, MPH		The state of the s	
Nursing Supervisor	QI.	Supen	visor & Healt	h		1/12/23
	and	d Safet	y Officer	1	Lauren Em	mons, ACSW
					CEO	

### **APPLICATION:**

⊠CMH Staff	☐Board Members	□Provider Network	⊠Employment Services Providers
□Employment Services Provider Agencies	⊠Independent Contractors	⊠Students	⊠Interns
⊠Volunteers	⊠Persons Served		

#### POLICY:

Lapeer County Community Mental Health (LCCMH) responds quickly and effectively to improve the outcome in a medical and/or behavioral crisis using a Rapid Response Team (RRT).

#### STANDARDS:

- A. The RRT assists and evaluates any person served, visitor, or staff who is experiencing a medical or behavioral crisis at LCCMH Main Building.
- B. The RRT members are trained initially and periodically in the RRT model by the triage supervisor or designee.
- C. The RRT may be assembled at any time by anyone at the LCCMH main building if there is concern regarding a person's medical condition or behavior.

CHAPTER	CHAPTER	SECTION	SUBJECT	
Health and Safety	08	003	50	
SECTION		DESCRIPTION		
Safety		Rapid Response Team: Code Blue		
,		and Code Gray		

- D. The RRT uses a proactive assessment approach to best address the person's needs, to communicate this data to appropriate persons, and together determine the best approach for treating the person.
- E. There is a designated RRT at LCCMH main building to respond to all Medical Emergencies or Code Gray events.
- F. In the event of a fire, missing person, bomb threat, active shooter/hostage situation, chemical spill or external disaster, staff follow the Emergency Preparedness Plan Policy 08.003.25 and the Emergency Preparedness and Response Plan.
- G. Post incident the code leader facilitates a debriefing with all RRT responders and any other staff involved.

#### PROCEDURES:

- A. Duties to be performed:
  - 1. Staff dials 74994 and call a "Medical Emergency" or "Code Gray" to activate the RRT.
  - 2. For medical emergencies, all LCCMH staff trained in cardiopulmonary resuscitation (CPR) respond and begin CPR when indicated, until the RRT arrives to manage the care of the person.
    - a. Upon arrival of the RRT, the responding LCCMH staff turns over care to RRT Code Leader.
    - b. All nursing staff and the RRT respond to all medical emergencies and bring a jump bag, AED, and Narcan® to the scene.
    - Nursing staff are the code leaders in a medical emergency until a Physician, Physician's Assistant (PA), or Nurse Practitioner (NP) responds.
    - d. Nursing staff assess the person and help with the implementation of the interventions as previously outlined in LCCMH approved

CHAPTER	CHAPTER	SECTION	SUBJECT		
Health and Safety	08	003	50		
SECTION		DESCRIPTION			
Safety		Rapid Respons	Rapid Response Team: Code Blue		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		and Code Gray			

policies and procedures and American Heart Association (AHA) guidelines.

- e. Care of the person is released to the Emergency Medical Technicians (EMT) or paramedics once they arrive on site.
- For Code Gray events, all LCCMH staff trained in de-escalation techniques respond and begin interventions as indicated, until the RRT arrives to manage the care of the person.
  - a. Upon arrival of the RRT, the responding LCCMH staff turns over care to RRT Code Leader.
  - b. Triage staff are the code leaders in Code Gray situations. In certain cases, code leader may be the primary case holder. Triage staff will determine this on an as needed basis.
- 4. The code leader assigns a RRT member to document/record.
- B. RRT members' roles are as defined but not limited to:
  - Code leader facilitates debriefing of the RRT post incident and ensures all proper documentation is completed and submitted to the Health and Safety Committee.
  - 2. A physician, PA, or NP responds to every medical emergency, when available.
  - 3. Code leader in medical emergencies and Code Grays initiate care and verbalize roles for responding members
- C. Reasons the RRT may be activated include:
  - 1. Any staff, person served, or visitor is concerned about an individual's physical or psychological status.
  - 2. Acute changes in vital signs (VS) or behavior from previously recorded or baseline parameters.

CHAPTER	CHAPTER	SECTION	SUBJECT	
Health and Safety	08	003	50	
SECTION		DESCRIPTION		
Safety		Rapid Response Team: Code Blue		
•		and Code Gray		

- 3. If an individual is experiencing any stroke-like symptoms (trouble speaking and understanding what others are saying, paralysis or numbness of the face, arm or leg, problems seeing in one or both eyes, headache, or trouble walking).
- 4. If an individual is experiencing any suspicious chest pain.
- 5. If an individual is in respiratory distress or has a decrease in oxygen saturation.
- 6. If an individual has a mental status change, change in level of consciousness (LOC), or seizure activity.

#### **DEFINITIONS:**

Jump bag: A bag containing first-aid equipment used to treat traumatic injuries.

<u>Respiratory Distress</u>: Deprivation of oxygen to the organs. Serve shortness of breath or unable to breathe without support as identified by increase in breathing rate (breaths per minute), color changes, grunting, nose flaring, sweating, wheezing or body position signifying distress. <a href="https://www.Hopkinsmedicine.org">www.Hopkinsmedicine.org</a>

Oxygen Saturation: The amount of oxygen circulating in the blood.

### **REFERENCES/EXHIBITS:**

Mayo Clinic. (2022, January 20). *Stroke*. Mayo Clinic. Retrieved July 25, 2022, from <a href="https://www.mayoclinic.org/diseases-conditions/stroke/symptoms-causes/syc-20350113">https://www.mayoclinic.org/diseases-conditions/stroke/symptoms-causes/syc-20350113</a>

American Heart Association guidelines for Cardio Pulmonary Resuscitation. https://cpr.heart.org/en/resuscitation-science/cpr-and-ecc-guidelines

LR